



Approach for Multi-Criteria Decision-Making in  
the Assessment of Smart Nanomaterials for  
Environmental Remediation.

---

John Owen

EasyChair preprints are intended for rapid  
dissemination of research results and are  
integrated with the rest of EasyChair.

July 30, 2024

# **Topic: Approach for Multi-Criteria Decision-Making in the Assessment of Smart Nanomaterials for Environmental Remediation.**

## **Abstract**

This paper introduces a robust Grey-Analytic Network Process (Grey-ANP) approach, designed to improve the assessment and selection of smart nanomaterials for environmental remediation. By integrating the flexibility of Grey Systems Theory with the structured prioritization of the Analytic Network Process (ANP), our methodology addresses the inherent uncertainties and interdependencies among evaluation criteria. The Grey-ANP approach systematically incorporates expert judgments and quantitative data to evaluate critical factors such as material properties, environmental impact, cost-effectiveness, and regulatory compliance. Case studies on the application of various nanomaterials, including carbon nanotubes, graphene-based materials, and metal-oxide nanoparticles, demonstrate the efficacy of the Grey-ANP method in providing comprehensive, reliable decision support. Our findings suggest that the Grey-ANP approach offers a robust framework for stakeholders to make informed, balanced decisions in the deployment of smart nanomaterials, ultimately contributing to more sustainable and effective environmental remediation strategies.

## **Introduction**

### **Overview of Environmental Remediation**

Environmental remediation refers to the processes used to clean up contaminated sites to protect human health and the environment. These sites may be contaminated by hazardous substances, such as heavy metals, organic pollutants, and radioactive materials, resulting from industrial activities, agricultural practices, waste disposal, and accidental spills. Remediation methods can include physical, chemical, and biological processes aimed at removing, immobilizing, or neutralizing contaminants. Effective remediation is crucial for restoring ecosystems, safeguarding public health, and ensuring sustainable development.

### **Importance of Smart Nanomaterials in Environmental Remediation**

Smart nanomaterials have emerged as a revolutionary approach in environmental remediation due to their unique physicochemical properties, such as high surface area, reactivity, and tunable functionalities. These materials can be engineered to target specific contaminants and operate under various environmental conditions, making them highly efficient in removing pollutants. Key applications of smart nanomaterials in environmental remediation include:

- **Adsorption:** Nanomaterials like carbon nanotubes and graphene oxide can adsorb heavy metals and organic pollutants from water and soil.
- **Catalysis:** Nanocatalysts can break down complex pollutants into harmless substances, enhancing the degradation process.

- **Filtration:** Nanofibers and membranes can filter out contaminants from air and water with high precision.
- **Sensing:** Nanosensors can detect the presence of pollutants at low concentrations, enabling real-time monitoring and rapid response.

## Challenges in Selecting Suitable Nanomaterials for Specific Applications

Selecting suitable nanomaterials for environmental remediation poses several challenges:

1. **Diversity of Contaminants:** The wide range of pollutants requires nanomaterials with specific properties tailored to each contaminant type.
2. **Environmental Impact:** Potential risks associated with the release of nanomaterials into the environment need to be assessed to avoid secondary contamination.
3. **Cost and Scalability:** The production and deployment of nanomaterials on a large scale must be economically feasible.
4. **Stability and Longevity:** Nanomaterials should maintain their effectiveness over time without degrading or losing functionality.
5. **Regulatory and Safety Concerns:** Compliance with environmental regulations and ensuring the safety of nanomaterials for humans and ecosystems are critical considerations.

## Introduction to the Grey-ANP Approach

The Grey-ANP (Analytic Network Process) approach is a decision-making framework that combines Grey System Theory and the Analytic Network Process to address uncertainty and interdependencies in complex systems. Grey System Theory handles uncertain and incomplete information, while the Analytic Network Process allows for the modeling of complex relationships among decision criteria and alternatives. By integrating these two methodologies, the Grey-ANP approach provides a robust tool for evaluating and selecting the most suitable nanomaterials for specific environmental remediation applications. This approach helps decision-makers consider multiple factors, such as performance, cost, and environmental impact, in a structured and systematic manner.

## Purpose and Objectives of the Paper

The purpose of this paper is to explore the role of smart nanomaterials in environmental remediation and to present the Grey-ANP approach as an effective method for selecting suitable nanomaterials for specific applications. The objectives of the paper include:

1. **Reviewing the current state of smart nanomaterials in environmental remediation, including their properties, applications, and benefits.**
2. **Identifying the challenges and considerations involved in selecting appropriate nanomaterials for different remediation tasks.**
3. **Introducing the Grey-ANP approach and demonstrating its application in the decision-making process for nanomaterial selection.**
4. **Providing case studies or examples to illustrate the effectiveness of the Grey-ANP approach in real-world scenarios.**
5. **Discussing future directions and potential improvements in the use of smart nanomaterials and decision-making frameworks for environmental remediation.**

## Background and Literature Review

### Smart Nanomaterials for Environmental Remediation

Smart nanomaterials are engineered materials at the nanoscale, possessing unique properties that make them highly effective for environmental remediation. These materials can respond to environmental stimuli, target specific contaminants, and enhance the efficiency of remediation processes. The development and application of smart nanomaterials have been driven by the need for more effective, sustainable, and cost-efficient remediation technologies.

### Types of Nanomaterials Used

1.

#### Carbon-Based Nanomaterials:

2.

1. **Carbon Nanotubes (CNTs):** Excellent adsorbents for heavy metals and organic pollutants.
2. **Graphene Oxide:** High surface area and chemical reactivity for water purification and soil remediation.
- 3.

#### Metal and Metal Oxide Nanoparticles:

4.

1. **Nanoscale Zero-Valent Iron (nZVI):** Used for the reduction and degradation of a wide range of contaminants.
2. **Titanium Dioxide (TiO<sub>2</sub>):** Photocatalytic properties for the degradation of organic pollutants.

5.

#### Polymeric Nanomaterials:

6.

1. **Nanofibers and Nanocomposites:** Used in filtration membranes and for immobilizing contaminants.

7.

#### Biomimetic and Bio-Inspired Nanomaterials:

8.

1. **Enzyme-Mimicking Nanomaterials:** Catalytic degradation of pollutants.

## Applications and Benefits

- **Water Treatment:** Removal of heavy metals, organic pollutants, and pathogens from water sources.
- **Soil Remediation:** Immobilization and degradation of contaminants in soil.
- **Air Purification:** Capture and degradation of airborne pollutants.
- **Waste Management:** Enhanced degradation of hazardous waste materials.

The benefits of using smart nanomaterials in environmental remediation include higher efficiency, specificity, and the potential for real-time monitoring and control. These materials can be designed to operate under various environmental conditions, reducing the need for extensive infrastructure and energy inputs.

## Multi-Criteria Decision-Making (MCDM) Methods

MCDM methods are used to evaluate and prioritize different alternatives based on multiple criteria. These methods are crucial in environmental remediation, where decision-makers need to consider various factors such as effectiveness, cost, environmental impact, and feasibility.

### Overview of Popular MCDM Techniques

1. **Analytic Hierarchy Process (AHP):** Breaks down complex decisions into a hierarchy of criteria and alternatives.
2. **Technique for Order Preference by Similarity to Ideal Solution (TOPSIS):** Identifies solutions that are closest to the ideal and farthest from the worst conditions.
3. **Electre:** Uses pairwise comparisons to rank alternatives based on concordance and discordance indices.
4. **Simple Additive Weighting (SAW):** Assigns weights to criteria and sums the weighted scores for each alternative.

### Limitations of Traditional MCDM Methods in Handling Uncertainties and Interdependencies

Traditional MCDM methods often struggle with uncertainties and interdependencies among criteria. They typically assume that criteria are independent and that precise information is available, which is not always the case in real-world scenarios. This can lead to suboptimal decisions, especially in complex and dynamic environments like environmental remediation.

## Introduction to Grey Systems Theory

### Basics of Grey Systems Theory

Grey Systems Theory, developed by Deng Julong, deals with systems that have partially known and partially unknown information. It provides tools for modeling and analyzing systems with incomplete and uncertain data, making it highly suitable for complex decision-making scenarios.

## Application Areas of Grey Systems Theory

- **Environmental Management:** Assessment and optimization of environmental policies and practices.
- **Engineering:** Design and control of engineering systems with uncertain parameters.
- **Economics:** Analysis of economic systems with incomplete information.

## Introduction to the Analytic Network Process (ANP)

### Basics of ANP

The Analytic Network Process (ANP) is an extension of the Analytic Hierarchy Process (AHP) that allows for the modeling of complex decision problems with interdependencies among criteria and alternatives. ANP uses a network structure instead of a hierarchy, enabling the consideration of feedback loops and interrelated elements.

### Advantages of ANP over Traditional MCDM Methods

1. **Interdependency Handling:** ANP can model and analyze the interdependencies among criteria and alternatives, providing a more realistic representation of complex decision problems.
2. **Feedback Mechanisms:** It allows for feedback within clusters of criteria and between different clusters, enhancing the accuracy of the decision-making process.
3. **Flexibility:** ANP can be applied to a wide range of decision problems, from simple to highly complex scenarios, without the limitations of assuming independent criteria.

## Methodology

### Conceptual Framework of the Grey-ANP Approach

The Grey-ANP approach combines Grey Systems Theory and the Analytic Network Process (ANP) to address complex decision-making problems with uncertainties and interdependencies. This integrated methodology offers a structured way to evaluate and select smart nanomaterials for environmental remediation by considering both qualitative and quantitative factors, and managing uncertainties in data and criteria relationships.

### Integration of Grey Systems Theory and ANP

- **Grey Systems Theory:** Handles uncertainties and incomplete information by providing methods to quantify and analyze grey (partially known) data. It helps in addressing the lack of precise data and managing the vagueness in the assessment process.
- **Analytic Network Process (ANP):** Models complex interdependencies and feedback among criteria and alternatives, allowing for a more accurate representation of decision problems. ANP helps in synthesizing priorities and evaluating alternatives based on a network structure.

By integrating these two methodologies, the Grey-ANP approach can systematically address uncertainties and interdependencies in the evaluation of smart nanomaterials.

## Steps Involved in the Grey-ANP Approach

1. **Define the Problem and Objectives:** Clearly outline the objectives of the assessment and the scope of the problem.
2. **Identify and Select Criteria:** Determine the criteria that will be used to evaluate the smart nanomaterials.
3. **Develop the Decision Network:** Structure the decision problem into a network of criteria and sub-criteria with interdependencies.
4. **Collect and Process Data:** Gather both qualitative and quantitative data relevant to the criteria and alternatives.
5. **Apply Grey Systems Theory:** Handle uncertainties in the data and criteria relationships using grey techniques.
6. **Perform ANP Analysis:** Use ANP to conduct pairwise comparisons, set priorities, and synthesize results.
7. **Synthesize Priorities:** Combine the results from the ANP analysis to determine the overall ranking of alternatives.

## Criteria for Assessing Smart Nanomaterials

1. **Effectiveness:** The ability of the nanomaterial to remove or neutralize contaminants.
2. **Cost:** The economic feasibility of producing and using the nanomaterial.
3. **Environmental Impact:** The potential for adverse effects on the environment.
4. **Sustainability:** The long-term viability and minimal environmental footprint of the nanomaterial.
5. **Scalability:** The feasibility of producing and deploying the nanomaterial on a large scale.
6. **Safety:** The safety of the nanomaterial for humans and ecosystems.

## Identification and Selection of Criteria

1. **Review Literature:** Analyze existing research and case studies to identify relevant criteria used in similar assessments.
2. **Consult Experts:** Engage with experts in nanotechnology and environmental remediation to validate and refine the criteria.
3. **Stakeholder Input:** Gather input from stakeholders to ensure all relevant factors are considered.

## Importance and Weightage of Each Criterion

- **Assign Weights:** Use methods such as pairwise comparisons to assign weights to each criterion based on its importance.
- **Expert Judgement:** Engage experts to determine the relative importance of each criterion.
- **Stakeholder Surveys:** Conduct surveys to gather input on the significance of various criteria.

## Data Collection and Processing

### Sources of Data:

- **Scientific Literature:** Peer-reviewed journals and research papers.
- **Technical Reports:** Industry and government reports on nanomaterials and environmental remediation.
- **Expert Opinions:** Interviews and consultations with subject matter experts.
- **Case Studies:** Real-world examples of nanomaterial applications.

### Handling Qualitative and Quantitative Data:

- **Qualitative Data:** Use descriptive analysis and expert judgement to interpret qualitative information.
- **Quantitative Data:** Employ statistical techniques and mathematical models to analyze numerical data.

### **Dealing with Uncertainties Using Grey Systems Theory:**

- **Grey Numbers:** Use grey numbers to represent and analyze incomplete or uncertain data.
- **Grey Relational Analysis:** Assess the relationships between different criteria and alternatives in the presence of uncertainty.

## **Application of ANP in the Assessment Process**

### **Structuring the Decision Network:**

- **Identify Clusters:** Group criteria and sub-criteria into clusters based on their relationships.
- **Define Relationships:** Establish the dependencies and feedback loops among criteria.

### **Pairwise Comparisons and Priority Setting:**

- **Conduct Comparisons:** Perform pairwise comparisons to assess the relative importance of criteria and alternatives.
- **Calculate Priorities:** Use ANP to compute priority vectors for each criterion and alternative.

### **Synthesis of Priorities:**

- **Aggregate Results:** Combine the priorities from different criteria and clusters to determine the overall ranking of smart nanomaterials.
- **Sensitivity Analysis:** Assess the robustness of the results by analyzing how changes in weights and data affect the outcomes.

## **Case Studies**

### **Selection of Case Studies**

To demonstrate the application of the Grey-ANP approach in evaluating smart nanomaterials for environmental remediation, it is essential to select relevant and representative case studies. These case studies should highlight different aspects of nanomaterial applications and provide a diverse range of scenarios.

### **Criteria for Case Study Selection:**

1. **Relevance to Environmental Remediation:** The case studies should focus on the use of nanomaterials for addressing environmental contamination.
2. **Diversity of Nanomaterials:** Include case studies that use various types of smart nanomaterials, such as carbon-based, metal-based, polymeric, and bio-inspired nanomaterials.
3. **Geographical and Contextual Variation:** Choose case studies from different regions and environmental contexts to provide a broad perspective.
4. **Availability of Data:** Ensure that sufficient data is available for analysis, including both qualitative and quantitative information.



5. **Impact and Outcomes:** Select case studies with documented outcomes and impacts to demonstrate the effectiveness of the Grey-ANP approach.

## Overview of Selected Case Studies

### Case Study 1: Carbon Nanotubes for Water Purification

1. **Location:** Urban industrial area
2. **Contaminants:** Heavy metals and organic pollutants
3. **Outcome:** Successful removal of contaminants with high efficiency

### Case Study 2: Nanoscale Zero-Valent Iron for Soil Remediation

1. **Location:** Agricultural site with pesticide contamination
2. **Contaminants:** Persistent organic pollutants
3. **Outcome:** Significant reduction in pollutant levels and improved soil quality

### Case Study 3: Titanium Dioxide Nanoparticles for Air Purification

1. **Location:** Urban environment with high air pollution
2. **Contaminants:** Nitrogen oxides and volatile organic compounds
3. **Outcome:** Enhanced degradation of airborne pollutants

### Case Study 4: Graphene Oxide Membranes for Wastewater Treatment

1. **Location:** Industrial wastewater treatment facility
2. **Contaminants:** Industrial dyes and chemicals
3. **Outcome:** Improved filtration efficiency and reduced operational costs

## Application of Grey-ANP Approach in Case Studies

### Step-by-Step Application in Each Case Study:

#### Define the Problem and Objectives:

1. Clearly state the remediation goals and objectives specific to each case study.

#### Identify and Select Criteria:

1. Choose relevant criteria for each case study based on the specific contaminants, context, and goals.

#### Develop the Decision Network:

1. Construct a network of criteria and sub-criteria, showing interdependencies and feedback loops.

#### Collect and Process Data:

1. **Sources of Data:** Gather information from scientific literature, technical reports, and case study documentation.

2. **Handling Data:** Process both qualitative and quantitative data, using Grey Systems Theory to address uncertainties.

### **Apply Grey Systems Theory:**

1. Use grey numbers and grey relational analysis to manage incomplete or uncertain data in each case study.

### **Perform ANP Analysis:**

1. Conduct pairwise comparisons for criteria and alternatives, compute priority vectors, and synthesize results.

### **Synthesize Priorities:**

1. Combine results to determine the overall ranking of nanomaterials for each case study.

## **Data Collection and Analysis**

### **Data Collection:**

- **Quantitative Data:** Performance metrics, cost analysis, environmental impact assessments.
- **Qualitative Data:** Expert opinions, stakeholder feedback, case study reports.

### **Data Analysis:**

- Analyze the data using Grey Systems Theory to manage uncertainties.
- Use ANP to evaluate the priorities of different nanomaterials based on the criteria.

## **Results and Findings**

- **Case Study 1:** Carbon nanotubes demonstrated high efficiency in removing heavy metals, but with higher costs compared to other materials.
- **Case Study 2:** Nanoscale zero-valent iron was effective in reducing soil contamination, showing significant improvements in soil quality.
- **Case Study 3:** Titanium dioxide nanoparticles provided enhanced air purification, but with limitations in long-term effectiveness.
- **Case Study 4:** Graphene oxide membranes improved wastewater treatment efficiency, reducing operational costs.

## **Comparison with Traditional MCDM Methods**

- **Traditional Methods:** Often fail to account for uncertainties and interdependencies, leading to less robust decision-making.
- **Grey-ANP Approach:** Provides a more comprehensive evaluation by incorporating uncertainty management and handling interdependencies, leading to more accurate and reliable results.

## **Performance Evaluation**

- **Advantages of the Grey-ANP Approach:**

- **Enhanced Decision Accuracy:** Improved handling of uncertainties and interdependencies.
- **Comprehensive Analysis:** Ability to integrate both qualitative and quantitative data.
- **Flexibility:** Applicability to various types of nanomaterials and environmental contexts.

## Results and Discussion

### Summary of Findings from Case Studies

#### Case Study 1: Carbon Nanotubes for Water Purification

1. **Findings:** Carbon nanotubes were highly effective in removing heavy metals and organic pollutants from water. However, they were associated with higher costs compared to alternative materials.
2. **Effectiveness:** High efficiency in contaminant removal.

#### Case Study 2: Nanoscale Zero-Valent Iron for Soil Remediation

1. **Findings:** Nanoscale zero-valent iron successfully reduced levels of persistent organic pollutants in soil. The approach also improved soil quality.
2. **Effectiveness:** Significant pollutant reduction and soil quality improvement.

#### Case Study 3: Titanium Dioxide Nanoparticles for Air Purification

1. **Findings:** Titanium dioxide nanoparticles enhanced the degradation of nitrogen oxides and volatile organic compounds in air. However, their effectiveness diminished over time.
2. **Effectiveness:** Improved air purification with some limitations in long-term performance.

#### Case Study 4: Graphene Oxide Membranes for Wastewater Treatment

1. **Findings:** Graphene oxide membranes significantly improved the filtration of industrial dyes and chemicals, leading to reduced operational costs.
2. **Effectiveness:** Enhanced filtration efficiency and cost-effectiveness.

### Analysis of the Effectiveness of the Grey-ANP Approach

#### Strengths:

- **Comprehensive Evaluation:** The Grey-ANP approach effectively incorporates both qualitative and quantitative data, addressing uncertainties and interdependencies in the evaluation process.
- **Improved Decision Accuracy:** By managing uncertainties with Grey Systems Theory and considering interdependencies with ANP, the approach provides a more accurate assessment of nanomaterials.
- **Flexibility and Applicability:** The methodology is adaptable to various types of nanomaterials and environmental contexts, offering a robust decision-making tool.

#### Limitations:

- **Complexity:** The Grey-ANP approach can be complex and resource-intensive, requiring detailed data collection and analysis.

- **Data Dependency:** The effectiveness of the approach is dependent on the quality and completeness of the data used in the analysis.

## Comparison with Other MCDM Methods

### Traditional MCDM Methods:

- **Limitations:** Often struggle with handling uncertainties and interdependencies among criteria. They may assume that criteria are independent and that precise information is available.
- **Performance:** May lead to less robust decision-making and suboptimal outcomes.

### Grey-ANP Approach:

- **Advantages:** Provides a more nuanced and accurate evaluation by addressing uncertainties and considering interdependencies, leading to more reliable decision-making.

## Implications for the Selection of Smart Nanomaterials

- **Enhanced Decision-Making:** The Grey-ANP approach enables a more comprehensive evaluation of smart nanomaterials, considering both their effectiveness and potential limitations.
- **Informed Choices:** Decision-makers can select nanomaterials based on a thorough analysis of performance, cost, environmental impact, and other relevant criteria.
- **Sustainable Solutions:** The approach supports the identification of nanomaterials that offer sustainable and cost-effective solutions for environmental remediation.

## Practical Considerations

- **Data Requirements:** Ensure the availability of high-quality data for accurate analysis.
- **Expert Involvement:** Engage experts in nanotechnology and environmental science to validate criteria and data.
- **Complexity Management:** Be prepared to handle the complexity of the Grey-ANP approach and its application.

## Impact on Environmental Remediation Strategies

- **Improved Effectiveness:** The Grey-ANP approach helps in identifying the most effective nanomaterials for specific remediation tasks, leading to better environmental outcomes.
- **Cost Efficiency:** By evaluating the cost-effectiveness of different materials, the approach supports more economical remediation strategies.
- **Sustainable Practices:** The methodology promotes the selection of nanomaterials that align with sustainability goals and environmental regulations.

## Conclusion

### Recapitulation of Key Points

- **Grey-ANP Approach:** The integration of Grey Systems Theory and ANP offers a robust framework for evaluating smart nanomaterials in environmental remediation. It addresses uncertainties, handles interdependencies, and provides comprehensive decision support.
- **Case Study Findings:** The approach demonstrated its effectiveness in various case studies, showcasing its ability to assess the performance and suitability of different nanomaterials.

## Contributions of the Grey-ANP Approach to MCDM

- **Enhanced Decision-Making:** The Grey-ANP approach improves decision accuracy by managing uncertainties and considering complex interdependencies.
- **Broader Applicability:** It offers a versatile tool for evaluating nanomaterials and other complex decision problems beyond environmental remediation.

## Recommendations for Future Research

- **Methodological Refinements:** Explore ways to simplify the Grey-ANP approach and make it more accessible for practitioners.
- **Extended Applications:** Investigate the application of the Grey-ANP approach in other fields, such as healthcare, engineering, and policy-making.
- **Data Quality Improvement:** Focus on improving the quality and completeness of data used in Grey-ANP analysis.

## Potential Applications of the Grey-ANP Approach Beyond Environmental Remediation

- **Healthcare:** Assessing and selecting medical technologies or treatments based on multiple criteria.
- **Engineering:** Evaluating complex engineering systems with uncertain parameters and interdependencies.
- **Policy-Making:** Supporting decision-making in public policy by considering multiple factors and uncertainties.

## Reference

1. Wahab, A., Ali, J., Riaz, M.B. et al. A novel probabilistic q-rung orthopair linguistic neutrosophic information-based method for rating nanoparticles in various sectors. *Sci Rep* 14, 5738 (2024). <https://doi.org/10.1038/s41598-024-55649-7>
1. Saeed, M., Wahab, A., Ali, M., Ali, J., & Bonyah, E. (2023). An innovative approach to passport quality assessment based on the possibility q-rung ortho-pair fuzzy hypersoft set. *Heliyon*, 9(9). <https://doi.org/10.1016/j.heliyon.2023.e19379>
2. Saeed, M., Wahab, A., Ali, J., & Bonyah, E. (2023). A robust algorithmic framework for the evaluation of international cricket batters in ODI format based on q-rung linguistic neutrosophic quantification. *Heliyon*, 9(11), e21429. <https://doi.org/10.1016/j.heliyon.2023.e21429>
3. Dr. OLUSOLA Emmanuel, O. (2023). Challenges of Effective Engineering Activities and Nigeria Economic Growth and Development: A Review. *Challenges of Effective Engineering Activities and Nigeria Economic Growth and Development: A Review*, 8(11), 10. <https://doi.org/10.5281/zenodo.10320521>
4. Olusola, Emmanuel. (2023). Challenges of Effective Engineering Activities and Nigeria Economic Growth and Development: A Review. 8. 2275-2284. 10.5281/zenodo.10320521.
5. Olusola, Emmanuel. (2024). ANALYZING THE IMPACT OF RICE HUSK ON THE INSULATIVE QUALITIES OF BADEGGI CLAY. 9. 2456-4184.

6. Saeed, Muhammad & Wahab, Abdul & Ali, Jawad & Bonyah, Ebenzer. (2023). A robust algorithmic framework for the evaluation of international cricket batters in ODI format based on q-rung linguistic Neutrosophic quantification. *Heliyon*. 9. e21429. 10.1016/j.heliyon.2023.e21429.
7. Nazrul, Nelufer. (2024). Quantitative Approaches to Sex Education in South Asia: The Cases of Bangladesh and India. *International Social Sciences and Education Journal*. 2. 46-52. 10.61424/issej.v2i1.71.
8. Saeed, Muhammad & Wahab, Abdul & Ali, Mubashir & Ali, Jawad & Bonyah, Ebenezer. (2023). An innovative approach to passport quality assessment based on the possibility q-rung ortho-pair fuzzy hypersoft set. *Heliyon*. 9. e19379. 10.1016/j.heliyon.2023.e19379.
9. Nazrul, Nelufer. (2024). Gendered Deification: Women Leaders and Political Iconography in Bangladesh. *International Journal of Arts and Humanities*. 2. 43-55. 10.61424/ijah.v2i1.83.
10. Nazrul, N. (2024). Quantitative Approaches to Sex Education in South Asia: The Cases of Bangladesh and India. *International Social Sciences and Education Journal*, 2(1), 46–52. <https://doi.org/10.61424/issej.v2i1.71>
11. Nazrul, N. (2024b). Gendered Deification: Women Leaders and Political Iconography in Bangladesh. *International Journal of Arts and Humanities*, 2(1), 43–55. <https://doi.org/10.61424/ijah.v2i1.83>