



Sustainable Urban Mobility - Modern Development and Perspectives

Asen Asenov and Velizara Pencheva

EasyChair preprints are intended for rapid dissemination of research results and are integrated with the rest of EasyChair.

February 4, 2020

SUSTAINABLE URBAN MOBILITY - MODERN DEVELOPMENT AND PERSPECTIVES¹

Asen Asenov is with the Department of Transport, University of Ruse 'Angel Kanchev', Faculty of Transport Engineering, Studentska 8, 7017, Ruse, Bulgaria, e-mail: asasenov@uni-ruse.bg

Velizara Pencheva is with the Department of Transport, University of Ruse 'Angel Kanchev', Faculty of Transport Engineering, Studentska 8, 7017, Ruse, Bulgaria, e-mail: vpenceva@uni-ruse.bg

Abstract – An analysis of the use of urban transport systems and mobility in major cities of foreign countries is carried out based on the research for developed plans for sustainable urban mobility in the Republic of Bulgaria. The peculiarities of the conditions in the country, studies in literary sources, policies and good practices are the perspectives for developing sustainable urban mobility in Bulgaria. An integrated mobility model was developed that will be used in an average size town, with different modes of transport and means of active mobility. Results show the prospects for the development of integrated mobility.

Keywords – urban transport; integrated mobility; average size town, MaaS.

I. INTRODUCTION

Despite the measures taken, the speed of development and scale of urbanization makes it difficult for cities to develop efficient and sustainable transport systems, [1].

The need for sustainable urban mobility is receiving increasing attention in its three dimensions:

- economic (efficiency and effectiveness of systems);
- social (access to all population groups, vision zero for road accidents);
- Environmental (reducing the environmental footprint of transport to combat climate change and pollution).

Decarbonisation of the road transport system is a major challenge, especially in urban areas. Despite opportunities for public transport, bicycles and walking, private vehicles continue to dominate mobility modes in many cities, [2].

The search for new solutions related to the modern development of greening technologies for vehicles and intelligent transport systems, as well as new business ideas for reducing the use of private vehicles for driving, especially in cities, are relevant to the current development of transport systems. Insofar as each settlement has its own characteristics, so much the implementation of existing policies as well as the relevant solutions is not universal. Therefore, when applying specific innovative solutions, it is necessary to take into account the specific features of: the transport system, geographical location, area, transport freight flows, passenger flows, etc.

II. MAIN EU DOCUMENTS AND INITIATIVES FOR PROMOTING SUSTAINABLE TRAVELING IN THE CITIES

Urban transport systems are an undivided part of the European transport system and therefore an undivided part of the common transport policy. It would be almost impossible for cohesion policy, as well as for other EU health and environmental policies, to achieve their objectives without integrating urban specificities, including urban mobility.

The development of the current EU policy on urban mobility has a long history: the challenges and opportunities for intervention in urban transport are discussed in a number of EU policy documents.

The EU's main documents in the field of promoting sustainable travel are published after 2006:

- 2007 - European Commission presented the European Green Paper on Towards a New Culture for Urban Mobility;
- 2009 - Action Plan for Urban Mobility (APUM) in 2009 with 20 specific actions at EU level with a deadline of 2012, [3].
- 2011 - White Paper „Roadmap to achieving a Single European Transport Area - towards a competitive, resource efficient transport system " by 2050;
- In 2011, studies by APUM, CIVITAS, ITS Action Plan and “Smart Cities”;
- In 2013, EC published its Urban Mobility Package. The focus of this document is on energy efficiency in transport and climate change. It addresses the concept of Urban Mobility Plans (SUMP);
- In 2013, DG MOVE launched the "European Urban Roadmap 2030 Study".

Urban mobility is closely linked to other EU policies such as energy, climate change, air quality, economy, social justice and accessibility, innovation, IT deployment and smart cities.

In recent years, a number of scientific and applied research and demonstration projects have been funded in the field of urban mobility research in the European Union. Information on many of these projects, as well as best practices, can be found in the ELTIS European Web Portal on Urban Transport and Mobility , [4].

The CIVITAS initiative is designed to help cities in Europe to implement and test innovative and integrated strategies that address energy, transport and environmental goals, [5].

¹original scientific paper

The Intelligent Energy Program for Europe is STEER. Activities funded by the program's transport strands promote more sustainable use of energy in transport (ie increased energy efficiency, new and renewable fuels and alternative vehicles).

Horizon Europe is the future EU Framework Program for Research and Innovation for the period 2021-2027. It is a continuation of the Horizon 2020 Framework Program. The proposal for Horizon Europe includes three pillars: excellence in science; the global challenges and competitiveness of European industry; an innovative Europe. The second pillar will support research addressing societal challenges and industrial technologies in areas such as digital, energy, mobility, food and natural resources. The second pillar also envisages the introduction of missions and partnerships for some research purposes, for example to achieve zero carbon emissions in some cities.

III. SUSTAINABLE URBAN MOBILITY PLANNING IN BULGARIA

In 2013, the European commission published its Urban mobility package. The focus of this document is the energy efficiency of transport and the climate changes. The concept for Urban Mobility Plans (SUMP) is included in this package, [6].

The concept for sustainable urban mobility is still new in Bulgaria and the development of SUMP is not required by law, [7]. In Bulgaria, the transport schemes in cities are regulated by the Road transport Act. The municipalities are responsible for the policy and decision-making, related to spatial and urban planning and development of municipal territory.

In the national programme of reforms in Bulgaria 2011-2015, the development and implementation of sustainable urban mobility plans (SUMP) was planned for 35 municipalities by the end of 2015, which has not been achieved.

The developing and implementation of SUMP is the initiative of individual municipalities. The developing of the concept is a transition from the traditional planning of migration of people to the cities, oriented predominantly towards developing the infrastructure and planning of sustainable urban mobility, directed to meeting the needs of different groups of people.

The main elements of the concept for sustainable urban mobility (SUMP) are shown in fig. 1.

The inclusion of all possible means of transport in the settlement implies the provision of high quality services by urban passenger transport, provision of conditions for walking and cycling, but above all the search for solutions to phase out the use of private vehicles at the expense of use of other alternative forms of travel, like shared travel.




Fig. 1. A new approach to sustainable urban mobility at SUMP compared to the traditional

The inclusion of all possible means of transport in the settlement implies the provision of high quality services by urban passenger transport, provision of conditions for walking and cycling, but above all the search for solutions to phase out the use of private vehicles at the expense of use of other alternative forms of travel, like shared travel.

The evaluation of consumer-oriented results is linked to the assessment of environmental and social problems, [8].

The active involvement of stakeholders and the general public in the discussion and decision-making of SUMP is a guarantee that the needs of different population groups are taken into account more accurately.

The overview of municipalities showed that by mid-2019, 11 Bulgarian cities are working on SUMP. The plan status is at different stages of implementation. In Ruse, Burgas, Pleven and Gabrovo SUMP is in the process of implementation.

The plan for the capital is for the interval 2019-2035 and a vision for sustainable urban mobility. „Sofia is developing sustainable urban mobility which is protecting the environment and human health; oriented towards the people, not towards the automobiles, efficient and innovative; safe and secure; integrated and accessible to all. It contributes to transforming the capital into a green, attractive, smart, safe and accessible city“, [9].

Goals:

- reducing the negative impact of transport on people's health and on the environment (green city);
- increasing the attractiveness of the urban environment and ensuring better quality of life (attractive city);
- implementing transport innovations and strengthening the local mobility and economy (smart city);

- подобряване на безопасността и сигурността на всички участници (безопасен град);

- integrated transport system, accessible for all (accessible city).

The distribution of travels on the territory of Sofia by 2017 is as follows: personal automobiles 30,7; walking 29,7%; urban public transport 37,4; bisysles 1,8; others 0,4.

The target indicators for travels as a percentage of the total number for 2035 is as follows: personal automobiles 23%; walking 28%; urban public transport 39; bicycles - 10.

Concerning the environment for 2035, the following has been planned: total reduction of harmful emissions by 25%; the greenhouse gasses to decrease by 25%; noise pollution to be reduced by - 10 c -10%.

The target indicators: 20% - private car journeys, 80% - sustainable transport (on foot, bicycle, urban public transport); Private transport should be reduced by over 130 000 trips (if the current population is maintained at 1,242 million people).

The plan for Ruse has been developed for the period 2016-2026 with the following vision: „Achieving high degree of mobility in urban zones and suburbs in conditions of travelling with maximum accessibility, security, safety, and guaranteed environmental protection, to the interest of the local community and as foundation for stimulating internal integrity and sustainable development for the whole region“, [10].

Priority goals:

- increasing the efficiency and attractiveness of the public transport system;

- improving the quality of mobility and creating conditions for alterantive types of travel;

- integrating the concept for sustainable mobility in the civic culture of Ruse.

According tho the detailed study carried out in connection of developing a project Integrated urban transport system of Ruse“, the distribution of travels on the territory of the city is as follows: walking - 43,5%; automobile-driver-28%; public transport-20,1% (the ratio of bus rides and trolleybus rides is 59,4 to 40,6%, respectively); bicycles 2,4%; taxi 2,3%; automobile-passenger 2,1%; company transport (mini-bus) 1,1%; motorbike 0,5.

The share of travels by car (automobile-driver-28%, automobile-passenger 2,1%, taxi 2,3%) is 32,4% in total of all travels, which is almost 50% more than travelling with public transport.

The target indicators according to SUMP by 2026 are: increasing walking to approximately 50%, public transport usage to 24%, cycling to 2,5% and reducing travels by car to 21,5%. The remaining 2% are to be distributed among the other categories of the modal split.

IV. PERSPECTIVES FOR DEVELOPMENT OF SUSTAINABLE URBAN MOBILITY IN BULGARIA AND MODEL OF INTEGRATED URBAN MOBILITY IN THE CONDITIONS OF RUSE

To date, three potential avenues for the future of urban transport systems have been identified in literature and transport practice. The first is related to the development of: vehicle greening technologies; intelligent transport systems and transport infrastructure. The other two are related to

changing business models and developing: carsharing, [11, 12] carpooling and integrated mobility (Mobility as a Servis-MaaS), [13, 14].

These three paths should not be considered separately. Servicing (expanding the range of services and offering complex solutions) of transport on shared and integrated mobility routes can create incentives for even faster technological renewal of transport fleets, [15].

The application of all three options in Bulgaria is realistic, as is their service. By assessing the characteristics of settlements, transport flows and transport schemes, the application can be implemented into two stages:

First stage - provision of conditions for integrated mobility, including multimodal for commuters from other settlements by: parking at the beginning of the city at the incoming traffic flows; provision of public transport from the parking lots; offering Carsharing from parking to downtown and integrating into MaaS, [16].

Second stage - introduction of the possibility of using the Carsharing system throughout the city, by constructing the necessary car parks, taking into account the characteristics of the passenger traffic and introducing a MaaS system for integrated travel management, [17].

Assessment of the occupancy of seven major intersections in the city of Ruse (Table 1), arranged by intensity, as follows № 4, 6, 5, 3, 6, 7, 1, 2 show a significant proportion of passenger vehicles (average 69.31%), followed by vans (14.63%), bus / trolley bus (11.39%), truck (3.51%), bicycle and motorcycle (1.16%), (Fig. 2).

TABLE I
PAGE LAYOUT DESCRIPTION

Type of vehicle	Crosroad № /%							
	1	2	3	4	5	6	7	Mid
Car	73	69,9	67,4	74,8	64,8	67,8	67,5	69,3
Light truck	9,90	14,6	21,4	9,60	14,5	18,9	13,5	14,6
Truck	3,00	1,50	3,10	2,00	4,10	6,20	4,70	3,51
Bus, trolley	12,1	13,1	7,50	12,8	15,1	6,10	13,0	11,4
Bicycle, motorcycle	2,00	0,90	0,60	0,80	1,50	1,00	1,30	1,16
Total	100	100	100	100	100	100	100	




Fig. 2. Average value in percentage of vehicle types at the busiest seven intersections in the city of Ruse

Finding solutions to reduce use of vehicles in the city is an important task.

Along with the development and improvement of public passenger transport services, other options are also being sought, especially for reducing the movement of passenger vehicle throughout the city.

Building a MaaS integrated carpooling system can produce good results. Studies of traffic flows show that it could be organized in two stages:

- Stage One: Provide a journey for passengers coming from the three main inbound entries with vehicles to the city center;

- Second stage: integration of a system covering the whole city territory.

The first stage relates to the inbound traffic flows shown in Fig. 3 connected with the algorithm shown in Fig. 4.




Fig. 3. Vehicle traffic coming from the three main inbound entries

A statistical survey to determine the number of passengers traveling with vehicle for the purpose of visiting the city of Ruse, including daily, weekly and seasonal irregularities, can be conducted by collecting information from direct observation or using registering devices. The construction of three parking lots at traffic flow 1,2 and 3 at the beginning of the outline of the city includes the preliminary determination of their capacity and the intended location of Carsharing vehicles. Construction of a downtown parking lot that collects the three rays of Carsharing vehicles. Inclusion in the itinerary of urban passenger transport for all three parking lots is associated with adjustments to the itinerary. Provision of a fleet of vehicles for the application of the carsharing system with the capacity to serve the required number of passengers with four locations: at flows 1,2 and 3 at the beginning of the outline of the city and in the city center (to where the main destinations are located). The construction of an information MaaS system develops to its expansion in the second stage of construction. In order for the MaaS system to be effective, it is necessary to involve all transport operators together. Building the integrated system from the urban passenger transport subsystem, the Carsharing subsystem and the Ruse MaaS

System. Monitoring and correcting is a prerequisite for success. The adoption of each new system as a rule requires a certain amount of time, the introduction of incentives and a strong information campaign could speed up the processes.




Fig. 4. The algorithm for the main stages of work for the provision of journey from the main three incoming passenger vehicle traffic flows to the central part of the city of Ruse

The second stage of the system construction is related to the determination of the areas of origin and repayment of the traffic flows in the city and the construction of stations for Carsharing vehicles. The expected entry of electromobility

into cities should also be taken into account when determining the location of stations in urban areas.

V. CONCLUSION

Regular Urban transport systems are an integral part of the European transport system and therefore an integral part of the EU's common transport policy. There are a number of documents defining the policy for the development of urban transport systems, including decarbonisation and reduction of harmful emissions from road transport, as well as a number of initiatives and programs. However, their application requires taking into account the specificity of the locality concerned.

Developing the Sustainable Urban Mobility Planning SUMP is a transition from traditional urban relocation planning, predominantly to infrastructure development, to sustainable urban mobility planning that addresses the needs of different groups of people. Despite the EC recommendations as of October 2019, only 11 Bulgarian cities are working on SUMP. The plans are at a different stage in their development.

The traffic survey at seven major intersections in the city of Rousse shows a significant proportion of passenger vehicles (average 69.31%), followed by light commercial vehicles (14.63%), bus / trolley bus (11.39%), truck (3, 51%), bicycle and motorcycle (1.16%), which shows the serious imbalance in which passenger vehicles overwhelm and burden the traffic, creating serious conditions for traffic congestion.

Building a MaaS system in Ruse for integrated shared travel can produce good results. Studies of traffic flows show that its construction can be done in two stages: first stage: to provide journey for passengers from the main three inbound passenger vehicle traffic flows to the city center; second stage with the introduction of a system covering the entire city territory.

ACKNOWLEDGEMENT

This research has been supported by contract №КП-06-Н27/12 of 11.12.2018 “Modelling and elaboration of complex system for selection of transport technology in transport network” funded by the National Science Fund of the Ministry of Education and Science of Bulgaria.

REFERENCES

- [1] Ferrero, F., Perboli, G., Vesco, A., Musso, S., Pacifici, A. Car-Sharing Services – Part B Business and Service Models, 2015
- [2] Kemp, R., Avelino, F., Bressers, N. Transition management as a model for sustainable mobility. *Eur. Transp. P.* 25–46. 2011.
- [3] Ricardo J.M. Poppeliers (Panteia), Andrea Ricci (ISIS). Review of the Action Plan on Urban Mobility. Zoetermeer, MOVE/C1/319-1/2011. 2013
- [4] European Web Portal on Urban Transport and Mobility, Available at: <https://www.eltis.org/>
- [5] CIVITAS initiative. Available at: <https://civitas.eu>
- [6] EC. A concept for sustainable urban mobility plans (SUMP), Brussels, 2013
- [7] Ministry of Finance. National Reform Program 2011-2015. Sofia, Bulgaria. 2011 (Министерство на финансите. Национална програма за реформи 2011-2015. София, България. 2011)
- [8] Parkhurst G, Kemp R, Dijk M, Sherwin H. Intermodal Personal Mobility: A Niche Caught Between Two Regimes, in: Kemp, R., Geels, F.W., Dudley, G. (Eds.), *Automobility in Transition? A Socio-Technical Analysis of Sustainable Transport*. Routledge, pp. 308–334. 2012
- [9] Sofia Sustainable Urban Mobility Plan (План за устойчива градска мобилност на град София.) 2019 <http://www.swiss-contribution.bg/uploads/manager/source/SUMP%2021-05-2019.pdf>
- [10] Civitas. Sustainable Urban Mobility Plan of Rouse for the period 2016-2026 (План за устойчива градска мобилност на гр. Русе за периода 2016-2026). https://civitas.eu/sites/default/files/sump_ruse.pdf
- [11] Gothenburg. Goals and focus to promote carsharing development in Gothenburg, city of Gothenburg. 2012 <https://goteborg.se/wps/wcm/connect/311e4659-1189-4f18-99bb-f226b36eb6e4/Bilpoolsm%C3%A5len+eng+2013-12-16.pdf?MOD=AJPERES>
- [12] Costain C, Ardron C, Habib K. Synopsis of users' behaviour of a carsharing program: A case study in Toronto. *Transp. Res. Part A Policy Pract.* 46, 421–434. doi:10.1016/j.tra.2011.11.005. 2012
- [13] Burrows A, Bradburn J. *Journeys of the Future: Introducing Mobility as a Service*. 2014
- [14] König D, Eckhardt J, Aapaoja A, Sochor J, Karlsson M. Business and operator models for Mobility as a Service (MaaS) (Deliverable 3 to the MAASiFiE project). Brussels: Belgium. 2016
- [15] Sarasini S, Linder M, Langeland O, Julsrud T (2016) Integrating a business model perspective into sustainability transitions: A research agenda based on servitised mobility, in: The 7th International Sustainability Transitions (IST) Conference. Wuppertal
- [16] Cohen B, Kietzmann J. Ride On! Mobility Business Models for the Sharing Economy, *Organ, Environ*, 27, 279–296. doi:10.1177/1086026614546199. 2014
- [17] Sarasini S, Marcus L, Karlsson M, Strömberg H, Friman M. Integration as a conduit for sustainable forms of Mobility as a Service, in: 23rd ITS World Congress, Melbourne, Australia, pp. 1–16. 2016